Location: Upper Kedron				
Date:		4/12/2016		7:00 AM
Comments:		Fine morning, sunny bec		
001111			, ournry o	
Leade	r :	Dawn Muir		
#	Common name	Seq	Tick	Comment
1	Brown Quail	6	1	
2	Pacific Black Duck	28	1	
3	Spotted Dove	38	1	
4	Common Bronzewing	41	1	
5	Bar-shouldered Dove	56	1	
6	Eastern Great Egret	136	1	
7	Pacific Baza	156	1	
8 9	Brown Goshawk Masked Lapwing	161 213	1	
9 10	Galah	213	1	
11	Sulphur-crested Cockatoo	293	1	
12	Rainbow Lorikeet	294	1	
13	Scaly-breasted Lorikeet	295	1	
	Pale-headed Rosella	309	1	
15	Pheasant Coucal	326	1	
16	Eastern Koel	327	1	
17	Channel-billed Cuckoo	328	1	
-	Fan-tailed Cuckoo	336		
19	Laughing Kookaburra	351	1	
20 21	Superb Fairy-wren Red-backed Fairy-wren	379 382	1	
21	Variegated Fairy-wren	384	1	
23	Lewin's Honeyeater	427	1	
	Brown Honeyeater	469	1	
25	Noisy Friarbird	481	1	
26	Eastern Whipbird	496	1	(H)
27	Australian Figbird	519	1	
28	Olive-backed Oriole	520	1	
29	Pied Butcherbird	531	1	
30	Australian Magpie	532	1	
	Pied Currawong	533	1	
32	Spangled Drongo Willie Wagtail	534 539	1	
33 34	Torresian Crow	543	1	
	Magpie-lark	553	1	
36	Eastern Yellow Robin	573	1	
37	Tawny Grassbird	583	1	
	Silvereye	590	1	
	Welcome Swallow	593		
40	Fairy Martin	594		
41	Tree Martin	595	1	
42	Common Myna	605	1	
43	Double-barred Finch	609	1	
44				
45 46		1		
40		1		
48		1		
49				
50				
51				
52				
53				
54				
55				
56 57		1		
57				
59		1		
60		1		
	Tota	1	43	
		1	-	1

'Seq' is a sequence number from the original order of the Christidis & Boyles Order list 'O' means the species was observed overhead

'H' means the species, though not sighted, was heard, with specific characteristic call 'I' in 'Tick' column indicates that at least one bird of the specific species was observed

Numbers at beginning in 'Comments' column may indicate specific areas for some surveys